

## PUGET SOUND AIR POLLUTION CONTROL AGENCY

ENGINEERING DIVISION

110 Union Street, Suite 500 - Scattle, WA 98101-2038

Telephone: (206) 689-4052

## Notice of Construction and Application for Approval

1100	100 0, 00			<u> </u>	<u> </u>		* *						
FOR	Be sure t	o complete	items 39, 40, 41, & 43	before	3. (g. 1) 1 mg/s	NCY USE ON							
LOK		ng Form P.		1.5	DATE								
51	DE 1				REG, NO								
				્ ∗ ∤∶	SIC. NO	COS, NO	•						
l	-				GRID NO	UTM							
1. TYPE OF	BUILDING (Check) 2. 5	TATUS OF E	GUIPMENT (Check)	7. APPLIC	TNA								
XX New			O Altered D Relocation	ASH GROVE CEMENT CO. Gerald J. Brown									
~				· -	ANT ADDRESS								
	MY IOR OWNERS NAME					C- Co-	± ± 1 α ፣ ፣ ፤ ለ በጸጥዓ/						
	GROVE CEMENT CO.			-	E. Marginal Way	50. Sea	ttle, WA JOIN						
	NY IOR OWNER MAILING A				LATION ADDRESS								
380	l East Marginal	Way So.	Seattle Wa. 9813	4 SA	ANE								
S. NATURE	OF BUSINESS		•	10. TYPE C	PROCESS .								
Cemen	t Manufacturing						U.T.						
	LUMBAL	NT .czc		COR CHAN	GES. ENTER NUMBER OF	E LINITS OF	·						
	EUUIPME	NI (ENIER	OUT NEW EQUIPMENT	COMPLET	E FORM 'S' FOR EACH E	LYRIN							
		- MENT IN C	0.00 01 01115.		1	1	·						
11. NO.	SPACE HEATERS OR	14. NO.		15. NO.	MECHANICAL EOUIP.	16. NO.	MELTING FURNACES						
OF UNITS	BOILERS (Complete Form S-A)	OF UNITS	OVENS	OF UNITS	MECHANICAL EGGIF.	סד טאודב	MECTIVE FORMACES						
		<sub>[a]</sub>	CORE BAKING OVEN	[8]	AREAS	(a)	POT						
12 10		<del>-</del>	PAINT BAKING	(6)	BULK CONVEYOR	(D)	REVERBERATORY						
12. NO. OF UNITS	INCINERATORS (Complete Form S-B)	101			CLASSIFIER								
	(Complete com 3-8)	[0]	PLASTIC CURING	161		(c;	ELECTRIC INOUC/RESIST						
193		161	LITHO COATING OVEN	(0)	STORAGE BIN	(4)	CRUCIBLE						
13. NO.	OTHER SYSTEMS	(e)	DAYER	161	BAGGING	141	CUPOLA						
OF UNITS		(f)	ROASTER	rf 1	OUTSIDE BULK STORAGE	(f.)	ELECTRIC ARC						
(1)	CEGREASING, SOLVENT	161	KILN	ــــــــــــــــــــــــــــــــــــــ	LOADING OR UNLOADING	101	SWEAT						
[5]	ABRASIVE BLASTING	101	HEAT - TREATING	tu t	ENICHING	m	OTHER WETALLIC .						
[6]	OTHER - SYSTEM	(+)	OTHER	(1)	MIXER (SOLIDS)	ш	GLASS						
161		tr i		111 1	OTHER Storage Dome	111	OTHER NON METALLIC						
17. NO.	REPRESENTATION OF TO WARRIES AND THE	17. NO.	N 00 100 100	17. NO.	on the free factors and the fa	18. NO.							
OF UNITS	GENERAL OPER, EQUIP	OF UNITS	GENERALOPER.EQUIP.	OF UNITS	GENERAL OPER, EQUIP,	OF UNITS	OTHER EQUIPMENT						
		luo.	<u> </u>	161	1	l	SPEAN BANKETING SAME						
· · · · · · · · · · · · · · · · · · ·	CHEMICAL MILLING	(1)	0=01	(4)	ASPHALT BLOWING	[9]	SPRAY PAINTING GUN						
(D)	PLATING	. (9:		(I)	CHEMICAL COATING	151	SPRAY BOOTH OR ROOM						
107	OIGESTER	( n	MIXING OR FORMULATING	(m	COFFEE ROASTER	(c:	FLOW COATING						
re1	DRY CLEANING	(1)	REACTOR.	(0)	SAWS & PLANETS	(61	FIRERGLASSING						
re1	FORMING OR MOLDING	(n)	STILL	(0)	STORAGE TANK	(e)	NTHER						
	CONTRO	L DEVICES	ENTER NUMBER OF L	INITS OF EC	DUIPMENT IN SPACES IN (	COLUMNS,							
			COMPLETE A FORM										
19. NO.		20. NO.		21. NO.		22. №0.							
OF UNITS	CONTROL DEVICE	OF UNITS	CONTROL DEVICE	OF UNITS	CONTROL DEVICE	OF UNITS	CONTROL DEVICE						
181	SPRAY CURTAIN	1	A ID WASHED	151	±6SORRER		DEMISTER						
121	CYCLONE	[4]	AIR WASHER	181	3 55 5 (8) 35	(1) 1	BAGHOUSE						
		151	WET COLLECTOR	101	ADSORBER	L I	E						
	MULTIPLE CYCLONE	101			FILTER PADS	IC)	ELEC. PRECIPITATOR						
	INERTIAL COLL OTHER			101	AFTERBURNER	(c)	THER						
ZZ. BASIC E IESTIMAT	CUIPMENT COST 1814.5 million	LESTIC	OL ECUIPMENT COST	25. DAILY	ROURS 24 hour	526. Dirs 0	F OFERATION ICHCIEL						
		1	i	0.000	AM 10 PW		T W T F S						
	TED STARTING DATE OF CO	NSTRUCTION	:	28. ESTIMA	TED COMPLETION DATE OF	CONSTRUCT	ON:						
De	ecember 15,1997			-	June 1, 1997		Tax						
	TERIALS (List starting m.	aterial used in	BIOCESS ANNUAL ANT.	30. PRODUC	TS (List End Products)		ANNUAL PROD.						
AND FU	ELS (Type and amount)						Tons UNITS						
<u></u>				(2)			(1113)						
				(n)	Portland Cement		45,000						
· <del></del>	-			(A)			1 12,000.						
)				let			1						
-			1		AGCS2M	002070	*						
	•				AGCSZIVI	UUZU/U	SEA0473						

No	tice	0	f	C	or	15	tr	U	ct	io	n	A	pp	lic	at	ıoi	1		F	OR	H	P	Table 1			
					•	ST	AC	cs c	OR '	VEN	TS (	LIST	NUMB	ER, T	YPE. A	ND 512	ZE O	FVE	NTI						,	
			-	ESCAI	PYIO					32.	HEI	GHT A	ABOVE		33. VC	LUME					DIME	NSIC	1 240	писн	£ 51	
31. NO. OF UNITS				F OPE								DEIF			LYHX3 (ACE				34.	LENC	7H I	OR D	IAMI	1	35.	. WIDTH
	STACKS				_				_	<del>i</del>				i			Ì								1	
(b)	FLUES				_					i		-1		<del>i</del>			T						_		İ	
(01	PROCESS	OR G	EN ER	AL EX	HAU	157				l				T											1	
(c) l	PROCESS	OR G	ENER	AL VE	NTS						92ي		feet	!	6000					36	**				18	81x''8
[e]	SKYLIGHT	OR W	YIN DO	⊃ <b>₩</b>						<u> </u>	'''			<u>!</u>			_								<u> </u>	
(1)	EXHAUST	H00	<u> </u>							<u>!</u>				<del>-</del>							507				<u> </u>	
10)	OTHÉR	_			•		_					-		<u> </u>			_								<u> </u>	-
											. FL	WO	DIAC	SRAM												
(b) SH (c) IF (d) INI (e) FL	OW DIAGS OW FLOW MORE TH, DICATE A OW CHAR OW PICKU	DIAC AN O LL PC	NE P NE P DINT N BE	M OF ROCE S IN I	PROPROC	CESS (ED S	STA VOLV WHE	RTII ED ' RE C	TO M	ITH IAKE OUS IF NE	FIN OR I	MAT ISHED PART SARY	ERIAI DPRO ICULA . (DRA	OUCT ATE PO AWING	ED AN SHOV DLLUT SS MA	O END V EAC) ANTS YBE SI	ING I PR ARE	OCE:	H F1. 55 A TTE	N157 NO 1 D.	VHE	RET	HEY	T. MER	GE.	
									-		_		_			-										-2
						1	;	:	í	1	- }	- :				•		:	<u>-</u>							
				<u>-</u> -		<del></del> -	- <u>:</u> -	+	1										ı		- :	— <u>-</u>		— <del>:</del> -		
				· —			<del>.</del>	1		1	İ	<u>'</u>	·								•		:	<u>:</u>	~ ~	
· ·				:	i	:	!		ij										:	t						
1 .	. :	i	:		1	1	į	ł	i	j	-	:		:			į		i	:		•				
<del></del>		÷		÷	:_			÷	÷	÷	<u> </u>		:	<b></b>						÷		-				
<del></del>	1 .		_:	i			:	<u>;</u>	<u> </u>	<del> </del>	<u>:</u>	<u>:</u>						·				<u>.</u>	<u></u> ·-	:		
SE	E PROP	SAI.	· .	;	į.	į	į		İ	į	<u> </u>											·				
		į	1	į	•	. į	1	Į	į	ţ	1	į.														
:	1 :	<del>-</del>	-:	1	i	1	Ť	Ť	<u>:</u>	1		<u> </u>													in a second	
		1	•	<u>;</u>	<del>'</del> -	-	<del></del> -	- 1	1	<del>-                                    </del>	<u> </u>	•												<del></del>		
!	1 :			<u> </u>	- 1	1	:		i	ł	<u>!</u>		• • • •								٠.				. <del></del> .	
	į	•		:	;	:	:	į	!	:					300											
	; ;	:			:	•	?	ī	;	!	÷				•						-					
•	<del></del>		:	<del>:</del>	<del>-</del> -			<u> </u>	-;	- <del>:</del>	- 1				· <b>-</b>			_;								
- <del>: · ·</del>	_ <del>_</del>		·		-:	i		i	!	1	!											<i></i> -		•		
					•	:	•	:	÷	,	!	•														
											-									-		_				
	<del></del>										;							—-	<b></b>				~-		· ·	
										•		_: _										· <b>-</b> ·-				
						<b>-</b>		:																		
FO FO FL SI	OF ATTACE ORM R ORM S OW DIAG TE PLA TE PLA THECATION 1. THE G	GRAM AN :	Í RSIGA	/ED, 0		EREBY	NAR EMI EQU	RAT SSI IPM	ON ENT	EST SC	TIMA CHED	TE OULE	10N C									, ACC	OMP	AIYN A	VG FO	Rw5,
39. SIGN		///	1	//	17	_											÷		_	. D		$\overline{\mathcal{I}}$		1-		-
	Eiral		1	1/1	De	-														11	1/	2	41	19,	7	
	OR PRINT		/	<del></del>	-			_						TITLE		-				7				). PH		,
	Gerald	J:/	Bro	wn				•						Mana	iger	Safe	ty							206.		-5596
				-														A(	JUS	>∠IV	าบบัว	207	1		SE	A0474

PUGET SOUND AIR POLLUTION CONTROL AGENCY
Engineering Division • 110 Union Street, Room 500 • Seattle, Washington 98101-2038 • (206) 689-4052
NOTICE of CONSTRUCTION & APPLICATION for APPROVAL

FOR AIR POLLUTION CONTROL EQUIPMENT ONLY

FORM R

For Agency L	se:		
Date:		N/C#	

\*Note: Information required by Section 1a must be completed for this form to be accepted for review.

1	a. Complete the []1 []	12 [ ]3 [ ]4	[ ]5 [ ]6	b. Company (or owner) Installation Address								
	Sections Indicated [ ]7 [	18 [ 19 [ ]10	[ ]11 [ ]12	ASH_GROVE	3801 E. M	arginal V	lay So Seattle					
Ì	c. Company (or owner) Name			d. Applicant	_	0						
	ASH GROVE CEMENT CO	) <u>.</u>		ASH GROVE		erald J.						
	e. Prepared by (name and title)			f. Prepared by (signat	UTP//////	g. Phone						
	Gerald J. Brown Man			nt ( Swal	MILL		206. 623-5596					
2	a. AIR POLLUTION	b. Type of Equipme	ent	c. Make & Model		d. Dimensions (LxWxH)						
	CONTROL EQUIPMENT	0		AUGUSTON SERVICE OF THE SERVICE OF T	8T 10		3.5"x189"					
	e. Number of Units	f. Capacity		g. Auxiliary Equipmen	nt	h. Connected	to:					
- 1	1	6000 acfm										
3	a. BAGHOUSE	b. Number of Bags		c. Shaking Cycle (auto		d. Cloth Area	1					
		100		rapping or reverse		1640 f						
1	e. Material Used	f.		g. Air-to-Cloth Ratio		h. Connected	DOMEST TO STATE OF THE PARTY OF					
Į	Polyester			3.66cfm			ge Dome					
4	a. ELECTROSTATIC PRECIP.	b. Electrode Separa	ation (ft)	c. Coll. Electrode Dim	nensions LxW (ft)	d. Mean Velo	city of Gas (ft/sec)					
	c. Area (sq ft)	f. Voltage		g. Coll. Electrode or F	Plate Area (sq ft)	h. Connected	to:					
5	a. BURNERS	b. Type of Burner,	Fuel	c. Make & Model		d. Rating						
3	BURNERS						*					
ĺ	e. Number of Units; Ignition	f.		g. CFM Exhausted (T	cmperature) °F)	h. Connected to:						
6	a. STACKS, VENTS	b. Type of Vent	-	c. Dimensions (LxWx)	H)	d. Dampers	`					
	e. No. of Vents; Material Used	f.		g. CFM Exhausted (T	emperature)  °F)	h. Connected	to:					
7	a. SCRUBBERS	b. Type of Flow (sp	ray, bubbler)	c. Packing Type/Size		d. Pressure D	rop (inches of water)					
	e. Composition of Solution	ſ.		g. Flow Rate (GPM)		h. Make-Up (	GPM)					
8	a. FANS	b. Type of Fan (des	ignate blade)	c. Make & Model		d. Motor DataRPMHP						
	e. Number of Fans; Material Used 1 carbon stee1	f.	-	g. CFM Exhausted (T	emp@SP) 78 °F)	h. Connected bag	to: house					
9	a. CYCLONES	b. Type of Cyclone [ ] Split Duct	[ ] Common [ ] Multiclone	c. Make & Model		d. Inlet Area (	sq (t)					
	e. Number of Units; Material Used	f. Body Dia. (in.)	Outlet Dia. (in.)	g. Body Height (in.)	Efficiency	h. Connected	10;					
10	a. COLLECTION DATA	b. Description of Co Portland Co		c. Amount Collected (	lbs/day)	d. Particle Size	(microns avg.)					
ı	e. Types of Pollutants [ ] Gas	ſ.	_	g. Collection Efficiency	γ -	h. Disposition	of Collection Waste					
	[X] Particulate [ ] Odor			99.99%			n to storage dome					
11	a. C. C. C. C. C.	b. Actual CFM		c. SCFM (Reg I Stand	ard)	d. Temperatu						
11	GAS FLOW	3777474			,	In	Out					
	e. Pressure Drop	f. Efficiency	-	g. Inlet and Outlet Pol Concentrations	lutant	h.						
12	a. ADDITIONAL DATA	b. [ ] Arrach Broch	ure	c. [ ] Attach Plans/Sp	pecs		Emission Estimate alculation)					
	e. [x] Submit Narrative Description of Process	f. [ ] Submit Source	e Tesi Daia	g. [ ] Submit Modelin	g Data	h. [] Attach Schedule of Equipment with Make, Model, Capacity						
	i. [ ]	j. [ ]		k. [ ]	-	I. [ ]						
L												

PUGET SOUND AIR POLLUTION CONTROL AGENCY
Engineering Division 110 Union Street, Suite 500 Seattle, Washington 98101-2038 (206) 689-4052
NOTICE of CONSTRUCTION & APPLICATION for APPROVAL

FOR BASIC PROCESS EQUIPMENT

FORM S

For Agency Use: Date

N/C#


\*Note: Information required by Section 1a must be completed for this form to be accepted for review. b. Company (or owner) Installation Address
3801 E. Marginal Way So. []5 a. Complete the []1 []3 []4 []2 Sections Indicated\* []8 []9 [ ]10 []7 []11 Seattle Wa. c. Company (or owner) Name d. Applicant ASH GROVE CEMENT CO. SAME e. Prepared by (name and title) g. Phone f. Prepared by (signat Gerald J. Brown 206.623-5596 d. Dimensions (LxWxH) c. Make & Model 2 | a. PROCESS EQUIPMENT | b. Title Cement Storage Dome 145' dia x 92.5' H. h. Connected to: e. # of Units; Rated Capacity g. Auxiliary Equipment 1; 45000 tons a. 3 h. Connected to: g. Equipment C. c. Make & Model b. Type of Burner, Fuel d. Rated Capacity 4 B. BURNERS e. # of Units; Ignition Method g. CFM Exhausted (Temperature) h. Connected to: a STACKS, VENTS, AND EXHAUST OPENINGS b. Type of Vent c. Dimensions d. e. # of Vents; Material of Construction g. CFM Exhausted (Temperature) h. Connected to: d. Surface Area (sq. fL) 6 b. Type of Tank, Material c. Dimensions (LxWxH) in inches <sup>2</sup> TANKS AND KETTLES [ ] Closed [ ] Open e. # of Tanks; Material of Construction h. Connected to: g. Auxiliary Equipment 7 c. Make & Model b. Type of Fan (designate blade) d. Motor Data FANS HP **RPM** c. # of Fans; Material of Construction g. CFM Exhausted (Temperature) h. Connected to: 8 <sup>a.</sup> OVENS & FURNACES b. Type of Oven or Furnace c. Make & Model d. Rated Capacity e. # of Ovens or Furnaces; Material of Construction g. CFM Exhausted (Temperature) h. Connected to: 9 e. Operating Schedule (normal) b. Type of Operation d. Mode of Operations a. OPERATIONAL DATA [ ] Batch Shifts/Day: [ ] 1 [ ] 2 [] Manual XXAuto [] Semi-Auto XX Continuous []3 e. Duration of Batch (hrs/batch) g. Daily # of Batches h. 120 tph in flow avg max 150 tph out flow 10 a. b. Type of Conveyor (pneumatic, bolt) c. Make & Model d. Capacity CONVEYORS 150 tph e. Dimensions (LxWxH) g. # of Pickups # of Discharge Points h. Connected to: pneumatic. 1 Finish Mill 1 11 a. b. Actual CFM c. SCFM (Reg I Standard) d. Temperature (°F) GAS FLOW Out In g. Inlet and Outlet Pollutant Concentrations e. Pressure Drop f. Efficiency a. ADDITIONAL DATA b. [ ] Attach Brochure c. [ ] Attach Plans/Specs d. KXAttach Emission Estimate (show calculation) h. [ ] Attach Schedule of Equipment c. K Submit Narrative f. [ ] Submit Source Test Data g. [ ] Submit Modeling Data Description of Process with Make, Model, Capacity


k. [ ]

i. [ ]

j. [ ]

l. [ ]





## Synopsis of Operation

The planned modification to the Ash Grove Cement Plant is the fabrication of a 145' wide, 45,000 Ton Cement Storage Dome and the material transport equipment necessary to fill and empty the dome. This equipment includes a 150 TPH MODCO Pneumatic pump with attached 100 HP motor and the necessary piping and valves. The Cement Dome will be vented through an ALANCO 6000 cfm Dust Collector. In addition, modifications to the existing storage tanks are necessary to facilitate the reclamation of cement from the new dome. These modifications include replacement of the existing dust collector with an ALANCO 6000 cfm Dust Collector and the necessary piping and valves to allow material transport from the Finish Mills to the New Dome.

# Puget Sound Air Pollution Control Agency 110 Union Street, Suite 500 Seattle, Washington 98101 ENVIRONMENTAL CHECKLIST

WAIT - You may not need to fill out the attached checklist.

Please read and check the following:

Because of the for Approval to	State Environmental Policy Act, the action for which you are filing a Notice of Construction and Application this Agency requires the completion of an environmental checklist.
	an answer "yes" to either of the following questions with respect to the action being proposed, the attache not be completed:
1.	I have obtained a State, City or County Permit and filled out an environmental checklist.
	X Yes No
	If you answered "yes", give State, City or County Department and date, and attach a copy of the checklist.
	Washington; King; Seattle DCLU
2.	An environmental checklist or assessment has previously been filled out for another agency.
	X Yes No
	If "yes", give agency and date, and attach a copy of the checklist.
	DCLU - Seattle, WA July 8, 1997
If your answer	to both of the above questions was "no", you must fill out the attached environmental checklist.
	Prepared by:
	Cerula June
	(Signature)


Gerald J. Brown
(Print Name)

Manager Safety And Environmental
(Title)


## Equipment Schedule for the 45,000 Ton Cement Dome

- 1. 8" Diameter Pneumatic Conveying Lines
- 2. New Stair Tower & Piping supports
- 3. Sky Bridge
- 4. Headhouse
- 5. New ALANCO 6000 CFM Dust Collector
- 6. New MODCO Pneumatic Conveying Pump 150 TPH
- 7. New 10" Diameter Pneumatic conveying lines
- 8. New ALANCO 6000CFM Dust Collector






60 Services



AGCS2M002079

SEA0482

# JLSE JET FILTER



MODEL (	CLOTH	A	В	C	D	MAX	F	G	H	J	<b>K</b>	MAX	М	N	Q	CLNG	WEIGHTS
64AST8	838 ,	247-7/16	69-1/2	53-3/4	80-1/4	15-1/2	24-3/16	100	126-172	64-1/4	66-1/2	23:	18	34	2	11.32	2715
64AST10	1050.	271-7/16	69-1/2	53-3/4	80-1/4	16-1/2	24-3/16	124	151-1/2	63-1/4	86-1/2	25	18	34	2	14.17	2985
64AST12	1261	295-7/16	69-1/2	53-3/4	80-1/4	18	24-3/16	148_	." 177	61-1/4	66-1/2	28	18	34	2	17.02	3280
81AST8	1081	255-5/16	78	81-5/8	89-1/43	18-1/2	24 3/16	100:	128.5	71-1/8	§ 75 5	25%	18	- 42	2.5	-14.32	₹ 3390 🖟
81AST10	1328	386-5/16	78	61-5/8	89-1/4	18	24-3/16	124	153-1/2	69-5/8	75 .	28	18	42	2.5	17.93	3730
81AST12	1596	303-5/16	78	61-5/8	89-1/4	19-1/2	24-3/16	148	179	68-1/8	75 -	31	18	42	2.5	21.54	4100
100AST8	1310	262-11/16	86-1/2	69	98-7/8	18	24-3/16	100	130-1/2	77	83-1/2	28	20	48	2.5	17.69	4250
100AST10	1640 ^	285-11/16	86-1/2	69	98-7/8	20	24-3/16	124	156-1/2	75	83-1/2	32	20	48	2.5	22.14	4675
100AST12	≥ 1970,¥	310-11/16	86-1/2:	. 69	. 98-7/8	21-1/2	24-3/16	148	182	73-1/2	83-1/2	35	20	48	2.5	26.60	. 5145.
121AST8	1585.	274-9/16	95	76-7/8	107-7/8	19-1/2	28-3/16	100	134-1/2	83-3/8:	92:	31	24	48	. 3	21.40	5325
121AST10	1984	298-9/16	95	76-7/8	107-7/8	21-1/2	28-3/16	124	160-1/2	81-3/8	92	35	24	48	3	26.79	5860
121AST12	2384	322-9/16	95 :	76-7/8	107-7/8	· 23 -	28-3/16	148	186	79-7/8	92	38	24	48	3	32.18	6445
144AST8	3 1886₹	281-15/16	103-1/2	84-1/4	116-3/8	; 21 -	28-3/16	. 100;	136	89-1/4	100-1/2	34	24	57	_ 3	25.47	6675
144AST10	2362	305-15/16	103-1/2	84-1/4	116-3/8	23	28-3/16	124	162	87-1/4	100-1/2	38	24	57	3	31.88	7340
144AST12	2837	329-15/16	103-1/2	84-1/4	.116-3/8	25	28-3/16	148	188	85-1/4	100-1/2	42	24	57	3	38.30	8075
169AST8	2214	289-5/16	112	91-5/8	124-7/8	22-1/2	28-3/16	100%	137-1/2	95-1/8	109	37 =	24	67	3:	29.89	8350
169AST10	2772	313-5/16	112	91-5/8	124-7/8	24-1/2	28-3/16	124	163-1/2	93-1/8	109	41	24	67	3	37.42	9185
169AST12	3329	337-5/16	. 112	91-5/8	124-7/8	261/2	28-3/16	148	189-1/2	91-1/8	109	45	24	67	3	44.95	10100



Customer: Ashgrove Cement

3801 East Marginal Way South

Seattle, WA. 98134

Attn: Ben McBride - ext 210 Ph/(sx # 206-623-5596 / 5355

Terms are Net 30

QUOTATION

Q-049790 rev2 HO:

9/30/97 Dete:

Rept. Barnard & Boe Fex: 205-391-9463 Attn: Steve Barnard

Ref:

From: Mike Walters


co rep

Ph.	ISX #	206-623-5596/5355	3		
ltem #	Ciy	Description	1	1 .	Total
1	2	Filter, Alanco Model 100AST10 Style II Air Volume = 6000 cfm Filter Area = 1640 sqft Air to Cloth Ratio = 3.65: 1 Interstitial Velocity = 173 fpm Bag Diameter = 6.1 in Bag Length = 10 ft	THE PROPERTY OF THE PARTY OF TH	\$11,572 ea	\$23,14
		Cage Diameter = 5.63 in Housing length = 86.5 in  Standard Features: Continuous weld construction with flanges at major shipping segments Designed to withstand 17" wg neg. pressure Top bag removal with lift off style access doors (16) oz Singed Polyester bags with SS snap band tops Cages from 11 ga galvanized wire - (12) vertical with horizontal wires at 8" spacing Nema 4 enclosures on all electrical components Magnehelic differential pressure gauge Lifting lugs as required Ladder with cage per CSHA specifications Solvent wash surface preparation	the section of the se		
2	2	Clean air plenum primed on inside Exterior primed and finished with an industrial grade enamel. Safety grate welded into bottom of filter Bottom flange - no holes, weld solid, w' 2" extension of body through flange Fan, Model 264DH20 ARR 1		\$4,004 ea	\$8,000
		Good ofm at 12" sp Carbon steel construction complete with unitary base, belt drive, belt guard, shaft guard, clean out door, drain, and flanges 20 hp TEFC, 460/3/60 VAC 1800 rpm motor  Delivery 8-10 weeks from date of approved drawings Prices quoted are List FOB Falls City NE	100/11/17/00 A. (11/1/2004 A. (17/1/2004 A.	Quote Total	\$31,157

		THE PART AND ADDRESS OF	المرابع المساورة والمرابع المرابع المر	المناه مساوياتها وسمورون وساوري المناه مساور
ASH GROVE CEN 3801 E. MARGINAL WAY SEATTLE, V	SOUTH (206) 623-5596		10/27	4262
FPAY TO THE PSAPCA ORDER OF			\$	300.00
Three Hundred Dollars			00/1	DOLLARS
Industrial Branch 030502 2754 First Ave. S. Seettle, WA 98134	CASC		Jaluh Comes Hor	WOURED WITH THE PROPERTY OF TH
#*************************************	:::25000024::	7443	104"	

ASH GROVE CEMENT COMPANY SEATTLE, WA 98134 DETACH AND RETAIN THIS STATEMENT
THE ATTACHED CHECK IS IN PAYMENT OF ITEMS DESCRIBED BELOW
IF NOT CORRECT, PLEASE NOTIFY US PROMPTLY. NO RECEIPT DESIRED

DATE	DESCRIPTION	AMOUNT
10/27/97 n	Review Fee for Notice of Construction RE: Storage Dome	300.00
	. •	



## **ENVIRONMENTAL CHECKLIST**

## Purpose of Checklist

The State Environmental Policy Act (SEPA), chapter 43.21 RCW, requires all governmental agencies to consider the environmental impacts of a proposal before making decisions. An environmental impact statement (EIS) must be prepared for all proposals with probable significant adverse impacts on the quality of the environment. The purpose of this checklist is to provide information to help you and the agency identify impacts from your proposal (and to reduce or avoid impacts from your proposal, if it can be done) and to help the agency decide whether an EIS is required.

## Instructions for Applicants

This environmental checklist asks you to describe some basic information about your proposal. Governmental agencies use this checklist to determine whether the environmental impacts of your proposal are significant, requiring preparation of an EIS. Answer the questions briefly, with the most precise information known, or give the best description you can.

You must answer each question accurately and carefully, to the best of your knowledge. In most cases you should be able to answer the questions from your own observations or project plans without the need to hire experts. If you really do not know the answer, or if a question does not apply to your proposal, write "do not know" or "does not apply". Complete answers to the questions now may avoid unnecessary delays later.

Some questions ask about governmental regulations, such as zoning, shoreline, and landmark designations. Answer these questions if you can. If you have problems, the governmental agencies can assist you.

The checklist questions apply to all parts of your proposal, even if you plan to do them over a period of time or on different parcels of land. Attach any additional information that will help describe your proposal or its environmental effects. The agency to which you submit this checklist may ask you to explain your answers or provide additional information reasonably related to determining if there may be significant adverse impact.

## Use of Checklist for Nonproject Proposals

Complete this checklist for nonproject proposals, even though questions may be answered "does not apply". IN ADDITION, complete the SUPPLEMENTAL SHEET FOR NONPROJECT ACTIONS (Part D).

For nonproject actions, the references in the checklist to the words "project", "applicant", and "property or site" should be read as "proposal", "proposer", and "affected geographic area", respectively.

## A. BACKGROUND

1. Name of proposed project, if applicable:

45,000 Ton Cement Storage Dome

2. Name of applicant:

Ash Grove Cement Company

3. Address and phone number of applicant and contact person:

Ash Grove Cement Company 3801 East Marginal Way S. Seattle, WA 98134 Ben McBride Plant Engineer (206)623-5596 x210

4. Date checklist prepared:

July 3, 1997

5. Agency requesting checklist:

City of Seattle, Construction and Land Use (DCLU)

6. Proposed timing or schedule (including phasing, if applicable):

Preliminary Planning and Design - 10/15/96 Award Contract - 7/97 Begin Construction - 9/97 Place in Service - 3/98

7. Do you have any plans for future additions, expansion, or further activity related to or connected with this proposal? If yes, explain.

No.

 List any environmental information you know about that has been prepared, or will be prepared, directly related to this proposal.

As required by DCLU and other necessary regulation agencies.

Do you know whether applications are pending for governmental approvals
of other proposals directly affecting the property covered by your proposal?
If yes, explain.

No applications are pending.

 List any government approvals or permits that will be needed for your proposal, if known.

DCLU, PSAPCA

- 11. Give brief, complete description of your proposal, including the proposed uses and the site of the project. There are several questions later in this checklist that ask you to describe certain aspects of your proposal. You do not need to repeat those answers on this page. (Lead agencies may modify this form to include additional specific information on project description.)

  Demolition of existing (1928) frame structure of approx.

  3400 sq.ft. Grade level to elevation 9.0'. Install 16' deep by 10' wide reclaim tunnel below grade. Install ring wall foundation 145'dia. Install monolithic hemispheric dome 145' diam. by 92.5' high atop ring wall. Capacity
- 45000 tons finished cement.

  12. Location of the proposal. Give sufficient information for a person to understand the precise location of your proposed project, including a street address, if any, and section, township, and range, if known. If a proposal would occur over a range of area, provide the range or boundaries of the site(s). Provide a legal description, site plan, vicinity map, and topographic map, if reasonably available. While you should submit any plans required by the agency, you are not required to duplicate maps or detailed plans submitted with any permit applications related to this checklist.

Real property: 3801 E. Marginal Way S. Seattle, WA 98134

Legal description: Attached Schedule A

## TO BE COMPLETED BY APPLICANT:

## B. ENVIRONMENTAL ELEMENTS

## 1. Earth

- General description of the site (circle one):
   Flat rolling, hilly, steep slopes, mountainous, other: paved 8" to 10" concrete
- b. What is the steepest slope on the site (approximate percent slope)?
   1%
- c. What general types of soils are found on the site (for example, clay, sand, gravel, peat, muck)? If you know the classification of agricultural soils, specify them and note any prime farmland.

Hydraulic dredge fill overlying alluvial sands and silts with glacially consolidated sandy silt at depths to 165' below ground surface elevation. Stable glacial till 165' below proposed construction site. Geotechnical study completed 12/6/96 by AGI Technologies.

d. Are there surface indications or history of unstable soils in the immediate vicinity? If so, describe.

No indication or history of unstable soils in the immediate vicinity.

EVALUATION FOR AGENCY USE ONLY

e. Describe the purpose, type, and approximate quantities of any filling or grading proposed. Indicate source of fill.

Fill and grading is anticipated. Cut: 5100 cu.yd.,
Fill: 8750 cu.yd. Select sand and gravel structural fill
for building subgrade base. Grading to be confined to
levelling lawns of demolished office building.

levelling lawns of demolished office building.

f. Could erosion occur as a result of cleaning, construction, or use? If so, generally describe.

No erosion should occur. Drainage and erosion control measures will be utilized as needed. Earth work to be completed in dry season.

g. About what percent of the site will be covered with impervious surfaces after project construction (for example, asphalt or buildings)?

Approximately 40%

h. Proposed measures to reduce or control erosion, or other impacts to the earth, if any:

Positive drainage control in accordance with EMP construction manual.

#### 2. Air

a. What type of emissions to the air would result from the proposal (i.e., dust, automobile, odors, industrial wood smoke) during construction and when the project is completed? If any, generally describe and give approximate quantities if known.

See Attachment B.2.a

b. Are there any off-site sources of emissions or odor that may affect your proposal? If so, generally describe.

No off-site sources of emissions or odors will affect the proposal.

c. Proposed measures to reduce or control emissions or other impacts to air, if any:

See Attachment B.2.c

#### Water

- a. Surface:
  - Is there any surface water body on or in the immediate vicinity of the site (including year-round and seasonal streams, saltwater, lakes, ponds, wetlands)? If yes, describe type and provide names. If appropriate, state what stream or river it flows into.

Adjacent to the west boundary of the property is the Duwamish waterway/river which flows into Elliott Bay of Puget Sound.

2) Will the project require any work over, in, or adjacent to (within 200 leet) the described waters? If yes, please describe and attach available plans.

No work will be done within 200 ft. of waterway.

- Estimate the amount of fill and dredge\_material\_that would be placed in or removed from surface water or wetlands and indicate the area of the site that would be affected. Indicate the source of fill material.
  - None. No fill will be required except select structural sand & gravel for floorslab subgrade base.
- 4) Will the proposal require surface water withdrawals or diversions? Give general description, purpose, and approximate quantities if known.

No surface water withdrawls or diversions will be required.

5) Does the proposal lie within a 100-year floodplain? If so, note location on the site plan.

Proposal not within the 100 year flood plan

6) Does the proposal involve any discharges of waste materials to surface waters? If so, describe the type of waste and anticipated volume of discharge.

There will be no discharge of waste materials to surface waters.

#### b. Ground:

- 1) Will ground water be withdrawn, or will water be discharged to ground water? Give general description, purpose, and approximate quantities if known. Ground water/storm water may be withdrawn from foundation excavation as needed during construction of structural base. This water will be directed to site storm collection facility.
- Describe waste material that will be discharged into the ground from septic tanks or other sources, if any (for example: Domestic sewage; industrial, containing the following chemicals ...; agricultural; etc.). Describe the general size of the system, the number of such systems, the number of houses to be served (if applicable), or the number of animals or humans the system(s) are expected to serve. There will be no discharge to sanitary sewers, furface storm waters, city waters used for cooling, truck wash off or any other purposes as a result of this project during operation. During construction of foundation, storm water and ground water collection facility, under current permit by King County Department of

- c. Water Runoff (including storm water):
  - 1) Describe the source of runoff (including storm water) and method of collection and disposal, if any (include quantities, if known). Where will this water flow? Will this water flow into other waters? If so, describe. Building storm drains and site surface runoff is controlled and collected away from the Duwamish waterway, contained on site in a holding tank under Department of Natural Resource Permit #296.
  - 2) Could waste materials enter ground or surface waters? If so, generally describe. No. Waste materials should not be entrained in ground or surface waters. Waste materials are tightly controlled. Surfaces are paved. Runoff is contained on site in a holding tank per Section 3.C.1 above.
- d. Proposed measures to reduce or control surface, ground, or runoff water impacts, if any: Maintain the existing site drainage and containment systems and incorporate temporary sediment filters on ground/storm waters withdrawn from foundation excavation during construction.

#### 4. Plants

a.	Check or circle types of vegetation found on the site:
	deciduous tree: aider, maple, aspen, other
	evergreen tree: fir, cedar, pine, other
	shrubs
	<u>X</u> grass
	pasture
	crop or grain
	wet soil plants: cattail, buttercup, bullrush, skunk cabbage, other
	water plants: water lily, eelgrass, milfoil, other
	other types of vegetation

- b. What kind and amount of vegetation will be removed or altered? Grass lawn will be removed. Approx. one half acre.
- c. List threatened or endangered species known to be on or near the site.

No threatened or endangered species are known to be on or near the site.

d. Proposed landscaping, use of native plants, or other measures to preserve or enhance vegetation on the site, if any:

Concrete surface paving in the vicinity of constuction will be restored as necessary.

## TO BE COMPLETED BY APPLICANT:

#### 5. Animals

a. Circle any birds and animals that have been observed on or near the site or are known to be on or near the site:

birds: hands herest eagle, songolds, other: pigeons, Geese, Ducks mammals: deex beat, etk, beaver, other - Rat, Rabbit

fish: bass, salmon, trook, herring, strenkish, other:\_

 List any threatened or endangered species known to be on or near the site.

No threatened or endangered species known to be on or near the site.

c. Is the site part of a migration route? If so, explain.

The site is not known to be part of a migratory route.

d. Proposed measures to preserve or enhance wildlife, if any: ..

None proposed.

#### 6. Energy and Natural Resources

a. What kinds of energy (electric, natural gas, oil, wood stove, solar) will be used to meet the completed project's energy needs? Describe whether it will be used for heating, manufacturing, etc.

Electrical: Manufacturing (pumping)
Lighting

b. Would your project affect the potential use of solar energy by adjacent properties? If so, generally describe.

Solar access by adjacent properties should not be affected by this project.

c. What kinds of energy conservation features are included in the plans of this proposal? List other proposed measures to reduce or control energy impacts, if any:

The project will include state of the art energy efficient equipment and allow more efficient use of the existing equipment by reducing the number of plant shutdowns and startups.

#### 7. Environmental Health

- a. Are there any environmental health hazards, including exposure to toxic chemicals, risk of fire and explosion, spill, or hazardous waste, that could occur as a result of this proposal? If so, describe. Environmental health hazards are minimal. There is no risk of fire explosions, exposure to toxic or hazardous waste. A minor risk of spill of cement product exists
  - Describe special emergency services that might be required.
     No special emergency services are anticipated to be required.
  - 2) Proposed measures to reduce or control environmental health hazards, if any: All aspects of this project will conform to applicable codes and regulations. Plant personnel are trained for on site emergency response and proper work habits.

#### b. Noise

- 1) What types of noise exist in the area which may affect your project (for example: traffic equipment operation, other)? No off-site sources of noise is anticipated to affect this proposal.
- 2) What types and levels of noise would be created by or associated with the project on a short-term or a long-term basis (for example: traffic, construction, operation, other)? Indicate what hours noise would come from site. The existing plant runs 24 hours a day, 7 days a week, year round schedule and includes heavy mobile equipment, truck and rail traffic as well as processing equipment fans and compressors. This project will add no significant noise burden.
- 3) Proposed measures to reduce or control noise impacts, if any:

Primary noise generating equipment related to this project are small dust collector fans and transport pump which will be within building enclosure. Noise will be controlled below required levels.

#### 8. Land and Shoreline Use

a. What is the current use of the site and adjacent properties?

This site has constantly been in use since 1928 as a cement production facility. Adjacent properties are used for warehousing, container yards, railroad switching and ready mix concrete.

b. Has the site been used for agriculture? If so, describe.

This site has not been used for agriculture.

Describe any structures on the site.

Existing structures include concrete storage silos, clindering kilns, raw & finish grinding facilities storage bins, storage buildings, office buildings, stacking yards, maintenance shops and storerooms.
d. Will any structures be demolished? If so, what?

Yes. One single story frame and block building of approximately 3400 sq. ft. currently out of service. Built in 1928.

e. What is the current zoning classification of the site?

IG1 - Industrial General 1.

f. What is the current comprehensive plan designation of the site?

Industria1

 g. If applicable, what is the current shoreline master program designation of the site?

UI - Urban Industrial

h. Has any part of the site been classified as an "environmentally sensitive" area? If so, specify.

No part of this plant site has been classified as "Environmentally Sensitive".

- i. Approximately how many people would reside or work in the completed No work will be "inside" this project Nor will any workers be added as a result of this project when completed. Maintenance work on the fans and pump will require minmal personnel involvement.
- j. Approximately how many people would the completed project displace?

None

k. Proposed measures to avoid or reduce displacement impacts, if any:

Not Applicable

 Proposed measures to ensure the proposal is compatible with existing and project land uses and plans, if any:

This proposal is a continuation of the existing use of the plant site. It will be compatible with and in compliance with current zoning and applicable regulations

#### 9. Housing

a. Approximately how many units would be provided, if any? Indicate whether high, middle, or low-income housing.

Not applicable to this proposal

b. Approximately how many units, if any, would be eliminated? Indicate whether high, middle, or low-income housing.

No housing is involved in this proposal.

Proposed measures to reduce or control housing impacts, if any:

Not applicable.

#### 10. Aesthetics

a. What is the tallest height of any proposed structure(s), not including antennas; what is the principal exterior building material(s) proposed? Tallest height of proposed structure is approximately 110 ft. above finished grades. Tallest height of existing stuctures on the property is 270 ft. above existing grade. Proposed exterior building material b. What views in the immediate vicinity would be altered probstructed?

No views are altered or obstructed.

c. Proposed measures to reduce or control aesthetic impacts, if any: A clean, monlithic structure.

#### 11. Light and Glare

a. What type of light or glare will the proposal produce? What time of day would it mainly occur?

Illumination of outside areas will be provided by high pressure sodium lights from dusk to dawn at ground level

b. Could light or glare from the finished project be a safety hazard or interfere with views?

No light or glare from the completed project will be a safety hazard or interfere with views.

c. What existing off-site sources of light or glare may affect your proposal?

No off site light/glare will affect this project.

 d. Proposed measures to reduce or control light and glare impacts, if any: All lighting above ground level will be shaded and focused. Flood lighting will not be needed as a result of this project.

#### TO BE COMPLETED BY APPLICANT:

#### 12. Recreation

a. What designated and informal recreational opportunities are in the immediate vicinity?

Boating and fishing in the Duwamish waterway and in Elliott Bay.

b. Would the proposed project displace any existing recreational uses? If so, describe.

No. The proposal will have no effect on nor displace any recreational uses.

c. Proposed measures to reduce or control impacts on recreation, including recreation opportunities to be provided by the project or applicant, if any:

Not applicable.

#### 13. Historic and Cultural Preservation

 Are there any places or objects listed on, or proposed for, national, state, or local preservation registers known to be on or next to the site? If so, generally describe.

There are no such places known to be on or adjacent to this site.

b. Generally describe any landmarks or evidence of historic, archaeological, scientific, or cultural importance known to be on or next to the site.

None

c. Proposed measures to reduce or control impacts, if any:

Not applicable

#### 14. Transportation

- a. Identify public streets and highways serving the site, and describe the proposed access to the existing street system. Show on site plans, if any. East Marginal Way South Duwamish Avenue
- b. Is site currently served by public transit? If not, what is the approximate distance to the nearest transit stop?

Site not currently served by public transit. Nearest transit site 1000 feet away.

c. How many parking spaces would the completed project have? How

It would eliminate 12 parking spaces in the vicinity of the demolished

many would the project eliminate? The completed project would require no additional parking places.

AGCS2M002093

#### TO BE COMPLETED BY APPLICANT:

- d. Will the proposal require any new roads or streets, or improvements to existing roads or streets, not including driveways? If so, generally describe (indicate whether public or private). No. The proposal will not alter current traffic patterns nor will it require new roads, streets, or improvements.
- e. Will the project use (or occur in the immediate vicinity of) water, rail, or air transportation? If so, generally describe.

  Yes. the project will be constructed in the immediate vicinity of a plant-site rail spur and may be used to load railcars if feasible.

  How many vehicular trips per day would be generated by the completed project? If known, indicate when peak volumes would occur.

  This project is unrelated to vehicular traffic.

  Proposed measures to reduce or control transportation impacts, if any.

  Not applicable.

  Dic Services

  Would the project result in an increased need for public services (for example: fire protection, police protection, health care, schools, other)? air transportation? If so, generally describe.
- f. How many vehicular trips per day would be generated by the completed
- g. Proposed measures to reduce or control transportation impacts, if any,

#### Public Services

a. Would the project result in an increased need for public services (for example: fire protection, police protection, health care, schools, other)? If so, generally describe.

the project will not result in an increased need for public services.

b. Proposed measures to reduce or control direct impacts on public services, if any.

Not applicable

#### 16. Utilities

- a. Circle utilities currently available at the site: electricity, natural oas. water, refuse service, telephone, sanitary sewer, \$2000 SYSTEM, other.
- b. Describe the utilities that are proposed for the project, the utility providing the service, and the general construction activities on the site or in immediate vicinity which might be needed. No additional utilities will be required as a result of this project. Utilities in the direct vicinity of the proposal will be relocated and abandoned as shown on the plans.

## TO BE COMPLETED BY APPLICANT:

## C. SIGNATURE

The above answers are true and complete to the best of my knowledge. I understand the lead agency is relying on them to make its decision.

Henry H. Haselton for William B. McBride

Signature:

Date submitted: July 10, 1997

This checklist was reviewed by: Tom SLADE

Environmental Specialist, Department of Construction and Land Use

Any comments or changes made by the Department are entered in the body of the checklist and contain the initials of the reviewer.

# D. SUPPLEMENTAL SHEET FOR NONPROJECT ACTIONS Not Applicable

(Do not use this sheet for project actions)

Because these questions are very general, it may be helpful to read them in conjunction with the list of the elements of the environment.

When answering these questions, be aware of the extent the proposal, or the types of activities likely to result from the proposal, would affect the item at a greater intensity or at a faster rate than if the proposal were not implemented. Respond briefly and in general terms.

1.	How would the proposal be likely to increase discharge to water; emissions
	to air, production, storage, or release of toxic or hazardous substances; or
	production of noise?

Proposed measures to avoid or reduce such increases are:

2. How would the proposal be likely to affect plants, animals, fish, or marine life?

Proposed measures to protect or conserve plants, animals, fish, or marine life are:

3. How would the proposal be likely to deplete energy or natural resources?

Proposed measures to protect or conserve energy and natural resources are:

## TO BE COMPLETED BY APPLICANT:

4. How would the proposal be likely to use or affect environmentally sensitive areas or areas designated (or eligible or under study) for governmental protection; such as parks, wildemess, wild and scenic rivers, threatened or endangered species habitat, historic or cultural sites, wetlands, floodplains, or prime farmlands?

Proposed measures to protect such resources or to avoid or reduce impacts are:

5. How would the proposal be likely to affect land and shoreline use, including whether it would allow or encourage land or shoreline uses incompatible with existing plans?

Proposed measures to avoid or reduce shoreline and land use impacts are:

6. How would the proposal be likely to increase demands on transportation or public services and utilities?

Proposed measures to reduce or respond to such demand(s) are:

7. Identify, if possible, whether the proposal may conflict with local, state, or federal laws or requirements for the protection of the environment.

The Ash Grove Cement West, Inc. Seattle plant site is the real property commonly known as 3801 East Marginal Way, South, Seattle, Washington; and with the following legal description:

CREATED LOT B

BEGINNING ON THE SOUTH LINE OF LOT 19, BLOCK 378, SEATTLE TIDE LANDS, IN KING COUNTY, WASHINGTON, AT A POINT 30.00 FEET WEST OF THE SOUTHEAST CORNER OF SAID LOT, SAID POINT BEING ON THE WESTERLY LINE OF EAST MARGINAL WAY AS ESTABLISHED UNDER CITY OF SEATTLE ORDINANCE NO. 32881; THENCE WESTERLY ALONG THE NORTH LINE OF VACATED WEST DAKOTA STREET TO THE SOUTHWEST CORNER OF LOT 24, BLOCK 387, SEATTLE TIDE LANDS, IN KING COUNTY, WASHINGTON; THENCE NORTHEASTERLY ALONG THE WESTERLY LINE OF SAID BLOCK 387 TO THE NORTHWEST CORNER OF LOT 15, SAID BLOCK 387; THENCE EAST 1376.477 FEET, MORE OR LESS, TO THE NORTHEAST CORNER OF LOT 28, BLOCK 378, SEATTLE TIDE LANDS, IN KING COUNTY, WASHINGTON; THENCE SOUTHEASTERLY ALONG THE EASTERLY LINE OF SAID LOT 28, A DISTANCE OF 57.586 FEET, MORE OR LESS, TO THE WEST LINE OF EAST MARGINAL WAY AS ESTABLISHED UNDER ORDINANCE NO. 32881; THENCE SOUTH ON SAID WEST LINE 546.56 FEET, MORE OR LESS, TO THE POINT OF BEGINNING.

TOGETHER WITH THE NORTH ONE-HALF OF THAT PORTION OF WEST DAKOTA STREET BOUNDED ON THE EAST BY THE WESTERLY LINE OF EAST MARGINAL WAY AS ESTABLISHED UNDER ORDINANCE NO. 32881, AND ON THE WEST BY THE CENTERLINE OF 8TH AVENUE SOUTHWEST (HERETOFORE VACATED) AND ALL OF THE PORTION OF WEST DAKOTA STREET BOUNDED ON THE EAST BY THE CENTERLINE OF 8TH AVENUE SOUTHWEST (HERETOFORE VACATED) AND ON THE WEST BY THE WEST LINE OF LOT 24, BLOCK 387, SEATTLE TIDE LANDS, IN KING COUNTY, WASHINGTON, PRODUCED SOUTH TO THE NORTHWEST CORNER OF LOT 1. CALHOUN, DENNY & EWING'S REPLAT OF BLOCK 388, SEATTLE TIDE LANDS, ACCORDING TO THE PLAT RECORDED IN VOLUME 12 OF PLATS, PAGE 92. IN KING COUNTY, WASHINGTON; SAID DESCRIBED PORTIONS OF WEST DAKOTA STREET HAVING HERETOFORE BEEN VACATED BY ORDINANCE NO. 80964 OF THE CITY OF SEATTLE.

TOGETHER WITH LOTS 1. 2. 47 AND 48. CALHOUN, DENNY & EWING'S REPLAT OF BLOCK 388. SEATTLE TIDE LANDS. ACCORDING TO THE PLAT RECORDED IN VOLUME 12 OF PLATS, PAGE 92. IN KING COUNTY, WASHINGTON.

TOGETHER WITH THE WEST HALF OF 8TH AVENUE SOUTHWEST ADJOINING SAID LOT 47 AND 48 AND THAT PORTION OF 9TH AVENUE SOUTHWEST BOUNDED ON THE NORTH BY SOUTH LINE OF WEST DAKOTA STREET AND ON THE SOUTH BY THE SOUTH LINE OF SAID LOT 2 PRODUCED EAST TO THE SOUTHWEST CORNER OF SAID LOT 47, SAID DESCRIBED PORTIONS OF 8TH AVENUE SOUTHWEST AND 9TH AVENUE SOUTHWEST, HAVING HERETOFORE BEEN VACATED BY ORDINANCE NO. 76243 OF THE CITY OF SEATTLE.

TOGETHER WITH THOSE PORTIONS OF LOTS 3, 4, AND 46, CALHOUN. DENNY & EWING'S REPLAT OF BLOCK 388. SEATTLE TIDE LANDS AND VACATED 9TH AVENUE SOUTHWEST DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT ON THE NORTH LINE OF SAID LOT 46 DISTANT 34.35 FEET WEST FROM THE EAST LINE THEREOF. AS ESTABLISHED BY SAID REPLAT; PROCEED WEST ALONG SAID NORTH LINE AND AS PRODUCED WEST A DISTANCE OF 330.25 FEET TO THE EAST LINE OF THE EAST WATERWAY; THENCE SOUTH 8°23'41" WEST ALONG SAID EAST LINE A DISTANCE OF 62.50 FEET TO A POINT DISTANT 1.83 FEET SOUTH OF THE NORTH LINE OF SAID LOT 4, MEASURED AT RIGHT ANGLES THEREFROM, THENCE EAST PARALLEL TO SAID NORTH LINE A DISTANCE OF 117.50 FEET; THENCE NORTH 74°25'42" EAST A DISTANCE OF 230.33 FEET TO THE POINT OF BEGINNING.

(CONTINUED ON THE FOLLOWING PAGE)



EXCEPT THAT PORTION THEREOF CONVEYED TO THE STATE OF WASHINGTON FOR PRIMARY STATE HIGHWAY NO. 1 BY DEED RECORDED UNDER AUDITOR'S FILE NO. 4861150.

AND EXCEPT THOSE PORTIONS OF LOTS 19 AND 20. BLOCK 379. SEATTLE TIDE LANDS AND THE NORTH HALF OF VACATED SOUTH DAKOTA STREET DESCRIBED AS FOLLOWS:

BEGINNING AT THE INTERSECTION OF THE CENTER LINE OF VACATED SOUTH DAKOTA STREET AND THE WEST MARGIN OF WEST MARGINAL WAY SOUTH, BEING THE WESTERLY LINE OF THAT CERTAIN PARCEL OF REAL PROPERTY CONVEYED TO THE STATE OF WASHINGTON UNDER RECORDER FILE NO. 4861150, RECORDS OF KING COUNTY, FOR STATE HIGHWAY NO. 1; PROCEED NORTH 6°36'17" WEST ALONG SAID WEST MARGIN A DISTANCE OF 151.53 FEET; THENCE SOUTH 26°23'23" WEST A DISTANCE OF 42.97 FEET; THENCE NORTH 63°36'37" WEST A DISTANCE OF 3.50 FEET TO THE SOUTHEASTERLY EDGE OF A CONCRETE WALL FOOTING; THENCE ALONG SAID FOOTING EDGE AND EDGE OF CONCRETE ENTRY ROAD THE FOLLOWING FOUR COURSES AND DISTANCES, SOUTH 26°23'23" WEST 30.73 FEET, SOUTH 39°39'56" WEST 56.82 FEET, SOUTH 56°31'11" WEST 55.36 FEET AND SOUTH 72°52'08" WEST 39.93 FEET TO AN INTERSECTION WITH THE CENTER LINE OF SAID DAKOTA STREET; THENCE EAST TO AN INTERSECTION WITH THE CENTER LINE OF SAID DAKOTA STREET; THENCE EAST ALONG SAID CENTER LINE A DISTANCE OF 173.92 FEET TO THE POINT OF BEGINNING.

ALL BEARINGS ARE PER PLAT OF SEATTLE TIDE LANDS.



#### EXHIBIT "A" TO LOT BOUNDARY ADJUSTMENT 8806165 P.H. #240418-4-004

EASEMENT (Underground)

.

The second of the second of the second of the second

THIS EASEMENT GRANTS to the City of Seattle (hereafter referred to as Grantee), its successors and assigns, the right, privilege and authority to install, construct, erect, alter, improve, repair, energize, operate and maintain electric underground distribution facilities at depths not exceeding 15 feet, which consist of ducts, vaults, manholes, conduits, wires and other necessary or convenient appurtenances to make said underground installations an integrated electric system. All such electric system is to be located across and under the following described lands and premises situated in the County of King, State of Washington, to wit:

A strip of land 10 feet wide over that portion of Lot 19, Block 378, Scattle Tide Lands, lying 5 feet on each side of the following described centerline:

Beginning at the intersection of the centerline of vacated South Dakota Street and the west margin of West Marginal Way South, being the westerly line of that certain parcel of real property conveyed to the State of Washington under Auditor's File No. 4861150, records of King County, for State Bighway No. 1;

thence North 6°36'17" West along said west margin a distance of 95.51 feet to the TRUE POINT OF BEGINNING of said centerline description; thence South 80°00'00" West 42.23 feet, more or less, to the southeasterly line of Lot B, City of Seattle Lot Boundary Adjustment No. 8806165 and to the terminus of said centerline description.

(Being a portion of Lot A, City of Seattle Lot Boundary Adjustment No. 8806165)

Together with the right at all times to the Grantee, its successors and assigns, of ingress to and egress from said lands across adjacent lands of the Grantor abutting the described easement area for the purpose of installing, constructing, reconstructing, repairing, renewing, altering, changing, patrolling, energizing and operating said electric system, and the right at any time to remove all or any part of said electric system from said lands. The Grantee shall notify the Port of Seattle, its successors and assigns, prior to the Grantee's entry onto said lands.

Also the right to the Grantee, its successors and assigns, at all times to cut and trim brush, trees or other plants standing or growing upon said lands or adjacent lands of the Grantor which, in the opinion of the Grantee, interfere with the maintenance or operation of the system, or constitute a menace or danger to said electric system.

It is further covenanted and agreed that no structure or fire horards will be erected or permitted within the above described easement area without prior written approval from the Grantee, its successors and assigns; that no digging will be done or permitted within the easement area which will in any manner disturb the facilities of their solidity or uncarth any portion thereof; and that no blasting or discharge of any explosives will be permitted within fifty (50) feet of said lines and appurtenances.

The City of Seattle is to be responsible, as provided by law, for any damage through their negligence in the construction, maintenance and operation of said electric system across and under the property granted in this easement.

The rights, title, privileges and authority hereby granted shall continue and be in force until such time as the Grantee, its successors, assigns shall permanently remove said vires and appurtenances from said lands or shall otherwise permanently abandon said electric system, at which time all such rights, title, privileges and authority hereby granted shall terminate.

CHK KS 2) 24 1989

LOT BOUNDARY ADDUSTHENT City of Smallin King County, Kambington

Haster Use F Application	'ermit Number:	880	611	5
	-			

APPROYAL:

Director Department of Construction and Land Usa City of Sasttle

400 Hunicipal Building Scattle, Washington 98104 Telephone: 625-4509

Examined and approved this 10th, day of 19 00

Senior Land Use Specialist, Land Use Division

MOTC: Approval of this lot boundary adjustment by the Director of the Department of Construction and Land Use under R.C.X. 50.17 as revised by Substitute House Bill No. 370 Section 3(5) is not to be construed as satisfaction of any other applicable legislation or regulations.

This opace races	ved for recorder's u	9 6		
	89/03/13		#0351	E
	RECD F	13.00	þ	
*	REU S	26.00	) .	
	CASHSL		***39.00	
			55	

CONDITIONS OF APPROVALLY

Upon application for construction permits

1. The owner(s) and/or responsible party(s) shall attach a copy of the recorded LBA to the construction permit plans.

2. The owner(s) and/or responsible party(s) shall submit a drainage control plan for each parcel proposed for development. No detention will be required if drainage is adequately discharged to the Duwamish River.

Parcel A Owner's Name Port of Seattle	P.O. Box 1209	City Seattle	98111	728-3363
Parcel B Dwner's Ness	Address	City	lip	Phone
Ash Grove Cement West,	Inc. 3801 E. Marginal	Way So., Sea	ttle,9313	4 623-5596
I certify that the informati	on furnished by me is true, on  Percol B Owner(s Signs	7500,	boot of my	knowledge.

LECAL DESCRIPTIONS (Provide full legal descriptions of the existing percels and the lots created by the lot boundary adjustment. Attach additional pages as necessary.)

See Page 3 for Existing Parcel A See Page 4 for Existing Parcel B See Page 5 for Created Lot A See Pages 6 & 7 for Created Lot B

An easement is granted to Seattle City Light as shown on page 9.

KING COUNTY OF OR THE CONTROL AND A STREET OF A STREET

RECEIVED TILLS DAT

Applicant's Signature

Applicants Name John M. Fisher, P.L.S.

Address Port of Scattle

P.O. Box 1209, Scattle, WA 98111

Islephone 728-3148

HU5/16 -- 1

APR 10 1989 DENGINEERING

SOBIVE

Page 1 of 9

## CONDITIONS OF APPROVAL: (cont.)

しまましゃ かんし こうこうてきかい ちゅうしゅう なるし くれん 臓をき いななな

Prior to Issuance of a Building Permit

3. The owner(s) and/or responsible party(s) shall submit concept street improvement plans including, but not limited to, concrete curb, gutter, sidewalk, and street trees along East Marginal Way S.W., adjacent to the property being developed, approved by the Seattle Engineering Department (SED) or the Board of Public Works, as appropriate.

Prior to Occupancy
4. The owner(s) and/or responsible party(s) shall provide street improvements as approved by the Seattle Engineering Department (SED) or be bonded to the satisfaction of SED for construction.

Moster Une Application No. 1 97006/65

SEA0508

AGCS2M002105

9

1"= 267

APN: 766670-0390

EXISTING PARCEL A

THAT PORTION OF THE PLAT OF SEATTLE TIDE LANDS AND GOVERNMENT LOT 4. IN THE SOUTH HALF OF SECTION 18, TOWNSHIP 24 NORTH, RANGE 4 EAST, W.M., KING COUNTY, WASHINGTON DESCRIBED AS FOLLOWS:

BEGINNING AT THE CENTER LINE INTERSECTION OF VACATED 8TH AVENUE SOUTH AND VACATED SOUTH DAKOTA STREET PROCEED EAST ALONG THE CENTER LINE OF SAID SOUTH DAKOTA STREET A DISTANCE OF 1180.00 FEET TO THE WEST MARGIN OF EAST MARGINAL WAY SOUTH AS ESTABLISHED BY CITY OF SEATTLE ORDINANCE NO. 32881; THENCE SOUTH ALONG SAID MARGIN A DISTANCE OF 525.00 FEET TO THE NORTH MARGIN OF SOUTH NEVADA STREET; THENCE WEST ALONG SAID NORTH MARGIN A DISTANCE OF 1230.00 FEET TO THE WEST MARGIN OF VACATED 8TH AVENUE SOUTH; THENCE SOUTH ALONG SAID WEST MARGIN PRODUCED SOUTH A DISTANCE OF 70.00 FEET TO THE SOUTH MARGIN OF SOUTH NEVADA STREET; THENCE EAST ALONG SAID SOUTH MARGIN AND AS PRODUCED EAST A DISTANCE OF 644.00 FEET TO A POINT DISTANT 14.00 FEET EAST OF THE EAST LINE OF BLOCK 385, SEATTLE TIDE LANDS PRODUCED SOUTH; THENCE SOUTH PARALLEL WITH SAID EAST LINE A DISTANCE OF 184.00 FEET TO A POINT DISTANT 19.00 FEET SOUTH OF THE NORTH LINE OF LOT 36. BLOCK, 384, SEATTLE TIDE LANDS PRODUCED EAST; THENCE WEST PARALLEL WITH SAID NORTH LINE AND AS PRODUCED A DISTANCE OF 544.00 FEET TO THE EAST MARGIN OF VACATED 8TH AVENUE A DISTANCE OF 691.00 FEET TO THE EAST MARGIN OF SOUTH OREGON STREET; THENCE WEST ALONG SAID EAST MARGIN OF SOUTH OREGON STREET; THENCE WEST ALONG SAID EAST MARGIN OF SOUTH OREGON STREET; THENCE WEST ALONG SAID EAST MARGIN OF OREGON STREET A DISTANCE OF 691.00 FEET TO THE EAST MARGIN OF SOUTH OREGON STREET; THENCE WEST ALONG SAID EASTERLY LINE A DISTANCE OF 535.75 FEET TO THE MOST WESTERLY POINT OF LOT 6, CALHOUN, DENNY & EWING'S REPLAT OF BLOCK 388, SEATTLE TIDE LANDS; THENCE NORTH 19°35'39" WEST ALONG SAID EASTERLY LINE A DISTANCE OF 535.75 FEET TO THE EAST WATERWAY DISTRICT NO. 1; THENCE NORTH 19°35'39" WEST ALONG SAID EASTERLY LINE OF LOT 3 OF SAID REPLAT; THENCE EAST ALONG SAID NORTH LINE OF LOT 3 OF SAID REPLAT; THENCE EAST ALONG SAID NORTH LINE OF LOT 3 OF SAID REPLAT; THENCE EAST ALONG SAID NORTH LINE OF SAID LOT 3 AND AS PRODUCED EAST A DISTANCE OF 414.60 FEET TO THE CENTER LINE OF VACATED 8TH AVENUE SOUTH; THEN

ALL BEARINGS ARE PER PLAT OF SEATTLE TIDE LANDS.



APW: 766670-0350

EXISTING PARCEL B

BEGINNING ON THE SOUTH LINE OF LOT 19, BLOCK 378, SEATTLE TIDE LANDS, IN KING COUNTY, WASHINGTON, AT A POINT 30.00 FEET WEST OF THE SOUTHEAST CORNER OF SAID LOT, SAID POINT BEING ON THE WESTERLY LINE OF EAST MARGINAL WAY AS ESTABLISHED UNDER CITY OF SEATTLE ORDINANCE NO. 32881; THENCE WESTERLY ALONG THE NORTH LINE OF VACATED WEST DAKOTA STREET TO THE SOUTHWEST CORNER OF LOT 24, BLOCK 387, SEATTLE TIDE LANDS, IN KING COUNTY, WASHINGTON; THENCE NORTHEASTERLY ALONG THE WESTERLY LINE OF SAID BLOCK 387 TO THE NORTHWEST CORNER OF LOT 15, SAID BLOCK 387; THENCE EAST 1376.477 FEET, MORE OR LESS, TO THE NORTHEAST CORNER OF LOT 28, BLOCK 378, SEATTLE TIDE LANDS, IN KING COUNTY, WASHINGTON; THENCE SOUTHEASTERLY ALONG THE EASTERLY LINE OF SAID LOT 28, A DISTANCE OF 57.586 FEET, MORE OR LESS, TO THE WEST LINE OF EAST MARGINAL WAY AS ESTABLISHED UNDER ORDINANCE NO. 32881; THENCE SOUTH ON SAID WEST LINE 546.56 FEET, MORE OR LESS, TO THE POINT OF BEGINNING.

TOGETHER WITH THE NORTH ONE-HALF OF THAT PORTION OF WEST DAKOTA STREET BOUNDED ON THE EAST BY THE WESTERLY LINE OF EAST MARGINAL WAY AS ESTABLISHED UNDER ORDINANCE NO. 32881, AND ON THE WEST BY THE CENTERLINE OF 8TH AVENUE SOUTHWEST (HERETOFORE VACATED) AND ALL OF THE PORTION OF WEST DAKOTA STREET BOUNDED ON THE EAST BY THE CENTERLINE OF 8TH AVENUE SOUTHWEST (HERETOFORE VACATED) AND ON THE WEST BY THE WEST LINE OF LOT 24, BLOCK 387. SEATTLE TIDE LANDS, IN KING COUNTY, WASHINGTON, PRODUCED SOUTH TO THE NORTHWEST CORNER OF LOT 1, CALHOUN, DENNY & EWING'S REPLAT OF BLOCK 388, SEATTLE TIDE LANDS, ACCORDING TO THE PLAT RECORDED IN VOLUME 12 OF PLATS, PAGE 92, IN KING COUNTY, WASHINGTON; SAID DESCRIBED PORTIONS OF WEST DAKOTA STREET HAVING HERETOFORE BEEN VACATED BY ORDINANCE NO. 80964 OF THE CITY OF SEATTLE.

TOGETHER WITH LOTS 1. 2, 47 AND 48, CALHOUN, DENNY & EWING'S REPLAT OF BLOCK 388, SEATTLE TIDE LANDS, ACCORDING TO THE PLAT RECORDED IN VOLUME 12 OF PLATS, PAGE 92. IN KING COUNTY, WASHINGTON.

TOGETHER WITH THE WEST HALF OF 8TH AVENUE SOUTHWEST ADJOINING SAID LOT 47 AND 48 AND THAT PORTION OF 9TH AVENUE SOUTHWEST BOUNDED ON THE NORTH BY THE SOUTH LINE OF WEST DAKOTA STREET AND ON THE SOUTH BY THE SOUTH.LINE OF SAID LOT 2 PRODUCED EAST TO THE SOUTHWEST CORNER OF SAID LOT 47, SAID DESCRIBED PORTIONS OF 8TH AVENUE SOUTHWEST AND 9TH AVENUE SOUTHWEST, HAVING HERETOFORE BEEN VACATED BY ORDINANCE NO. 76243 OF THE CITY OF SEATTLE.

EXCEPT THAT PORTION THEREOF CONVEYED TO THE STATE OF WASHINGTON FOR PRIMARY STATE HIGHWAY NO. 1 BY DEED RECORDED UNDER AUDITOR'S FILE NO. 4861150.



THAT PORTION OF THE PLAT OF SEATTLE TIDE LANDS AND GOVERNMENT LOT 4 IN THE SOUTH HALF OF SECTION 18, TOWNSHIP 24 NORTH, RANGE 4 EAST, W.M., KING COUNTY, WASHINGTON DESCRIBED AS FOLLOWS:

BEGINNING AT THE CENTER LINE INTERSECTION OF VACATED 8TH AVENUE SOUTH AND VACATED SOUTH DAKOTA STREET PROCEED EAST ALONG THE CENTER LINE OF SAID SOUTH DAKOTA STREET A DISTANCE OF 1002.60 FEET TO THE SOUTHEASTERLY EDGE OF A CONCRETE WALL FOOTING: THENCE ALONG SAID FOOTING EDGE AND EDGE OF CONCRETE ENTRY ROAD THE FOLLOWING FOUR COURSES AND DISTANCES, NORTH 72°52'08" EAST 39.93 FEET, NORTH 56°31'11" EAST 55.36 FEET, NORTH 39°39'56" EAST 56.82 FEET, NORTH 26°23'23" EAST 30.73 FEET; THENCE SOUTH 63°36'37" EAST A DISTANCE OF 3.50 FEET; THENCE NORTH 26°23'23" EAST A DISTANCE OF 42.97 FEET TO THE WESTERLY LINE OF THAT CERTAIN PARCEL OF REAL PROPERTY CONVEYED TO THE STATE OF WASHINGTON UNDER KING COUNTY RECORDER 4861150. RECORDS OF KING COUNTY FOR STATE HIGHWAY NO. 1: SOUTH 6°36'17" EAST, ALONG SAID WESTERLY LINE A DISTANCE OF 151.51 FEET TO THE CENTER LINE OF VACATED SOUTH DAKOTA STREET; THENCE EAST ALONG SAID CENTER LINE A DISTANCE OF 3.47 FEET TO THE WEST MARGIN OF STATE HIGHWAY NO. 1 (EAST MARGINAL WAY SOUTH) AS ESTABLISHED BY CITY OF SEATTLE ORDINANCE 32881; THENCE SOUTH ALONG SAID MARGIN A DISTANCE OF 525.00 FEET TO THE NORTH MARGIN OF SOUTH NEVADA STREET; THENCE WEST ALONG SAID NORTH MARGIN A DISTANCE OF 1270 OF SEATTLE MARGIN A DISTANCE OF 1230.00 FEET TO THE WEST MARGIN OF VACATED 8TH AVENUE SOUTH; THENCE SOUTH ALONG SAID WEST MARGIN PRODUCED SOUTH A DISTANCE OF 70.00 FEET TO THE SOUTH MARGIN OF SOUTH NEVADA STREET; THENCE EAST ALONG SAID SOUTH MARGIN AND AS PRODUCED EAST A DISTANCE OF 644.00 FEET TO A POINT DISTANT 14.00 FEET EAST OF THE EAST LINE OF BLOCK 385, SEATTLE TIDE LANDS PRODUCED SOUTH; THENCE SOUTH PARALLEL WITH SAID EAST LINE A DISTANCE OF 184.00 FEET TO A POINT DISTANT 19.00 FEET SOUTH OF THE NORTH LINE OF LOT 36, BLOCK 384, SEATTLE TIDE LANDS PRODUCED EAST; THENCE WEST PARALLEL WITH SAID NORTH LINE AND AS PRODUCED A DISTANCE OF 544.00 FEET TO THE EAST MITH SAID NORTH LINE AND AS PRODUCED A DISTANCE OF 544.00 FEET TO THE EAST MARGIN OF VACATED 8TH AVENUE SOUTH; THENCE SOUTH ALONG SAID EAST MARGIN OF 8TH AVENUE A DISTANCE OF 691.00 FEET TO THE EAST MARGIN OF SOUTH OREGON STREET; THENCE WEST ALONG SAID EAST MARGIN OF OREGON STREET A DISTANCE OF 403.77 FEET TO THE FASTERLY LINE OF THE DUWAMISH WATERWAY AS ESTABLISHED BY THE COMMERCIAL WATERWAY DISTRICT NO. 1; THENCE NORTH 19°35'39" WEST ALONG SAID EASTERLY LINE A DISTANCE OF 535.75 FEET TO THE MOST WESTERLY POINT OF LOT 16, CALHOUN, DENNY & EWING'S REPLAT OF BLOCK 388, SEATTLE TIDE LANDS; THENCE NORTH 8°23'41" EAST ALONG THE EAST LINE OF THE EAST WATERWAY A DISTANCE OF 751.50 FEET TO. A POINT DISTANT 1.83 FEET SOUTH OF THE NORTH LINE OF SAID LOT 4, MEASURED AT RIGHT ANGLES THEREFROM: THENCE THE NORTH LINE OF SAID LOT 4, MEASURED AT RIGHT ANGLES THEREFROM; THENCE EAST PARALLEL WITH THE NORTH LINE OF SAID LOT 4 A DISTANCE OF 117.50 FEET; THENCE NORTH 74°25'42" EAST A DISTANCE OF 230.33 FEET TO THE NORTH LINE OF LOT 46, SAID REPLAT; THENCE EAST ALONG SAID NORTH LINE OF SAID LOT 46 AND AS PRODUCED EAST A DISTANCE OF 84.35 FEET TO THE CENTER LINE OF VACATED 8TH AVENUE SOUTH; THENCE NORTH ALONG SAID CENTER LINE A DISTANCE OF 160.00 FEET TO THE POINT OF BEGINNING.

ALL BEARINGS ARE PER PLAT OF SEATTLE TIDE LANDS.



B.2.a During construction: Hinor fugitive dust emissions due to construction traffic and materials handling activities; minor smoke and exhaust emissions due to construction welding, cutting and equipment including diesel engine exhaust.


During final operation: Fugitive dust emissions due to materials handling activities but controlled below permitted amounts by dust suppression and/or collection systems; Processing Equipment: particulate, SO<sub>2</sub> and NO<sub>x</sub> emissions controlled below permitted amounts.

B.2.c Dust suppression systems will be used on the raw material transport and storage systems. Automated reclaiming from the storage, and pavement of heavily traveled areas will reduce the wheel generated fugitive dusts. Enclosure of the major processing equipment will be to limit noise and potential fugitive emissions. The cooler/kiln/raw mill system will be of a design to limit the exhaust gasses of note to the lowest possible levels. Particulate control will be by the best available technology (BACT) utilizing modern electrostatic precipitation technology.

# Seattle Department of Construction and Land Use

R. F. Krochalis, Director Norman B. Rice, Mayor

October 16, 1997



\* NOTICE OF DECISION \*

The Director of the Department of Construction and Land Use has reviewed the Master Use Permit application(s) below and issued the following decisions. Interested parties may appeal these decisions.

#### Hearing Examiner Appeals


To appeal to the City's Hearing Examiner, the appeal MUST be in writing, and be delivered to the Office of the Hearing Examiner, Room 1320, Alaska Building, 618 Second Avenue, Seattle, Washington 98104. Appeals must be received prior to 5:00 P.M. of the appeal deadline indicated below and be accompanied by a \$50.00 filling fee in a check payable to the City of Seattle. (The Hearing Examiner may waive the appeal fee if payment would cause financial hardship.) The appeal must identify all the specific Master Use Permit component(s) being appealed, specify exceptions or objections to the decision, and the relief sought. Appeals to the Hearing Examiner must conform in content and form to the Hearing Examiner's rules governing appeals. (The Hearing Examiner's Office has a form that can be used for land use appeals.) A copy of the Hearing Examiner Rules is available for \$1.00 from DCLU. The Hearing Examiner's Office also provides a "Citizen Guide to the Office of the Hearing Examiner". To be assured of a right to have your views heard, you must be party to an appeal. Do not assume that you will have an opportunity to be heard if someone else has filed an appeal from the decision. You may contact the Hearing Examiner to request intervenor status on a particular appeal. The Office of Hearing Examiner provides barrier free access.

#### Interpretations

Issues concerning the proper application of any development regulation in the Land Use and Zoning Code (Title 23) or regulations for Environmentally Critical Areas (Chapter 25.09) cannot be raised as part of this appeal. These issues can be considered in an interpretation, which may be appealed to the Hearing Examiner. Interpretations may be requested by any interested person. Requests for interpretations must be filed in writing prior to 5:00 P.M. on the appeal deadline Indicated below and be accompanied by a \$880.00 fee payable to the City of Seattle. Requests must be submitted to the Department of Construction and Land Use, Code Interpretation and Implementation Section, 720 Second Avenue. Questions regarding how to apply for a formal interpretation may be asked by phone by calling 684-8467.

#### Shoreline Decisions

An appeal from a shoreline decision is made to the State Shorelines Hearing Board. It is NOT made to the City Hearing Examiner. The appeal must be in writing and filed within 21 days of the date the DCLU decision is received by the State Department of Ecology (DOE). The DCLU decision will be sent to DOE by the close of business on the Friday of this week. If the Shoreline decision involves a shoreline variance or shoreline conditional use, the appeal must be filed within



21 days after DOE has made their decision. The information necessary for DOE to make their decision will be sent to them by the close of business on the Friday of this week. The beginning of the appeal period may also be provided to you by calling 684-8467. The minimum requirements for the content of a shoreline appeal and all the parties who must be served within the appeal period cannot be summarized here but written instructions are available at the Department of Construction and Land Use (Client Assistance Memo 232), 710 Second, Suite 200, Seattle, WA 98104-1703, (684-8467) or contact the Shorelines Hearing Board at (206) 459-6327. Failure to properly file an appeal within the required time period will result in dismissal of the appeal. In cases where a shoreline and environmental decision are the only components, the appeal for both shall be filed with the State Shorelines Hearing Board. When a decision has been made on a shoreline application with environmental review and other appealable land use components, the appeal of the environmental review must be filed with both the State Shorelines Hearing Board and the City of Seattle Hearing Examiner.

#### Comments

When specified below written comments will be accepted. Comments should be addressed to: Department of Construction and Land Use, 710 Second Avenue, Suite 200, Seattle, WA 98104-1703.

#### Information

For additional information, to obtain a copy of the decision or to learn if a decision has been appealed, contact the Master Use Information and Notification Center, 710 Second Avenue, Suite 200, (684-8467). A copy fee will be charged. The Information and Notification Center is open 8:00 a.m. to 5:00 p.m. on Monday, Wednesday, Thursday, Friday and 10:00 a.m. to 5:00 p.m. on Tuesday.

3801 East Marginal Wy S

Zone IG1 U/85'

Project #9704333

Applicant Contact: Henry Haselton - Phone: 453-8383 DCLU Land Use Planner: Tom Slade - Phone: 233-7193

Master Use Permit to establish use for future construction of a 16,664 sq. ft., 45 thousand-ton capacity, domed, cement storage structure. Project includes installation of slone columns for future foundation of the storage building. Project also includes 13,850 cu. yds. of grading. Parking for 50 vehicles is provided on site.

Declaration of Non-Significance (No environmental impact statement required). Environmental review completed and no conditions imposed.

Appeals of this decision must be received by the Hearing Examiner no later than October 30, 1997.

# CITY OF SEATTLE ANALYSIS AND DECISION OF THE DIRECTOR OF THE DEPARTMENT OF CONSTRUCTION AND LAND USE

Application Number:

9704333

Applicant Name:

Ash Grove Cement c/o Harry Haselton, P.E.

Address of Proposal:

3801 East Marginal Way S.

## SUMMARY OF PROPOSED ACTION

Master Use Permit for construction of a 45,000\* ton cement storage structure. The project includes the grading of approximately 13,850 cubic yards of material.

\* - Originally noticed as 45

The following approval is required:

SEPA - Environmental Determination - Chapter 25.05, Seattle Municipal Code.

<u>SEPA DETERMINATION</u>: [ ] Exempt [X] DNS [ ] MDNS [ ] EIS

[ ] DNS with conditions

[ ] DNS involving non-exempt grading,

or demolition, or another agency with jurisdiction.

## BACKGROUND DATA

Site Location:

This proposal site is located on the west side of E. Marginal Way S.

just north of the SW Nevada Street right of way.

Zoning:

The zoning of this proposal site is General Industrial 1 [IG-1] with an 85 foot height limit for non-industrial uses. The parcel has the Urban Industrial shoreline environment, although the portion of the site on which the structure is to be located is outside of the shoreline.

Existing Use: At present, the proposal site is a cement manufacturing and shipping

facility.

Zoning in Vicinity: East - IG-1U/85' North - IG-1 U/85'

West - IG-1 U/85' South - IG-1 U/85'

Environmentally This proposal site is subject to liquefaction during a seismic event.

Critical Area

. . · ``

## Proposal Description

The applicant proposes to construct a 45,000 ton cement storage structure on the northeastern portion of the proposal site. The cement storage facility will be dome shaped with a diameter of 145 feet and a height of 93 feet. In order to construct the at grade floor, a total of approximately 13,850 cubic yards of material will be graded consisting of 5100 cubic yards of cut volume and 8750 cubic yards of fill volume.

## Public Comments

The public comment period for this project ended on August 27, 1997. No comments were received.

### ANALYSIS - SEPA

The initial disclosure of the potential impacts from this project was made in the environmental checklist submitted by the applicant dated July 10, 1997 and annotated by the Department. The information in the checklist, project plans, and the experience of the lead agency with review of similar projects form the basis for this analysis and decision.

The SEPA Overview Policy (SMC 25.05.665 D) clarifies the relationship between codes, policies, and environmental review. Specific policies for each element of the environment, certain neighborhood plans and other policies explicitly referenced may serve as the basis for exercising substantive SEPA authority.

The Overview Policy states in part: "where City regulations have been adopted to address an environmental impact, it shall be presumed that such regulations are adequate to achieve sufficient mitigation" (subject to some limitations). Under certain limitations/circumstances (SMC 25.05.665 D 1-7) mitigation can be considered. Thus, a more detailed discussion of some of the impacts is appropriate.

## Short-Term Impacts

The following temporary or construction-related impacts are expected: decreased air quality due to suspended particulates from building activities and hydrocarbon emissions from construction vehicles and equipment; increased dust caused by drying mud tracked onto streets during construction activities; increased traffic and demand for parking from construction equipment and personnel; conflict with normal pedestrian movement adjacent to the site; increased noise; and consumption of renewable and non-renewable resources.

Several adopted codes and/or ordinances provide mitigation for some of the identified impacts. The Stormwater, Grading and Drainage Control Code regulates site excavation for foundation purposes and requires that soil erosion control techniques be initiated for the duration of construction. The ECA ordinance and DR 3-93 and 3-94 regulate development and construction techniques in designated ECA's, including those prone to liquefaction. The Street Use Ordinance requires debris to be removed from the street right of way, and regulates obstruction of the pedestrian right-of-way. Puget Sound Air Pollution Control Agency regulations require control of fugitive dust to protect air quality. The Building Code provides for construction measures in general. Finally, the Noise Ordinance regulates the time and amount of construction noise that is permitted in the city. Compliance with these applicable codes and ordinances will reduce or eliminate most short-term impacts to the environment and no further conditioning pursuant to SEPA policies is warranted

Due to the fact that excavation and fill will be undertaken during construction, additional analysis of earth and grading impacts is warranted.

## Earth/Soils

The Stormwater, Grading and Drainage Control Code requires preparation of a soils report to evaluate the site conditions and provide recommendations for safe construction on sites where grading will involve cuts or fills of greater than three feet in height or grading greater than 100 cubic yards of material. This project constitutes a "large project" under the terms of the SGDCC [SMC 22.802.015 D]. As such, there are many additional requirements for erosion control including a provision for implementation of best management practices and a requirement for incorporation of an engineered erosion control plan which will be reviewed jointly by the DCLU building plans examiner and geotechnical engineer prior to issuance of the permit. The Stormwater, Grading and Drainage Control Code provides extensive conditioning authority and prescriptive construction methodology to assure safe construction techniques are used, therefore, no additional conditioning is warranted pursuant to SEPA policies.

#### Grading

An excavation to construct the at grade level of the proposed storage structure will be necessary. The depth of the excavation ranges to a maximum of approximately 10 feet. Structural fill material will be returned to the graded area and thus, soil removed will need to be disposed of off site.

Existing City code (SMC 11.62) requires truck activities to use arterial streets to every extent possible. The proposal site is near several major arterials and traffic impacts resulting from the truck traffic associated with grading will be of short duration and mitigated by enforcement of SMC 11.62. City code (SMC 11.74) provides that material hauled in trucks not be spilled during transport. The City requires that a minimum of one foot of "freeboard" (area from level of material to the top of the truck container) be provided in loaded uncovered trucks which minimizes the amount of spilled material and dust from the truck bed en-route to or from a site. No further conditioning of the grading/excavation element of the project is warranted pursuant to SEPA policies.

## Long-Term Impacts

Long-term or use-related impacts are also anticipated as a result of approval of this proposal including: increased surface water runoff due to greater site coverage by impervious surfaces; increased bulk and scale on the site and increased demand for public services and utilities.

Several adopted City codes and/or ordinances provide mitigation for some of the identified impacts. Specifically these are: the ECA Ordinance and Seattle Building Code which specify structural standards for buildings constructed in areas prone to liquefaction. The Stormwater, Grading and Drainage Control Code requires on site collection of stormwater with provisions for controlled tightline release to an approved outlet and may require additional design elements to prevent isolated flooding. The Land Use Code controls site coverage, setbacks, building height and use and contains other development and use regulations to assure compatible development.

According to the applicant, this structure will not increase plant capacity, employment or traffic generation. The purpose of the structure is to keep cement from being exposed to the elements. Keeping finished cement dry assures that the material hydrates better when curing.

Compliance with the applicable codes and ordinances is adequate to achieve sufficient mitigation of long term impacts expected to result from this proposal and no further conditioning is warranted by SEPA policies.

#### <u>DECISION - SEPA</u>

This decision was made after review by the responsible official on behalf of the lead agency of a completed environmental checklist and other information on file with the responsible department. This constitutes the Threshold Determination and form. The intent of this declaration is to satisfy the requirements of the State Environmental Policy Act (RCW 43.21C), including the requirement to inform the public agency decisions pursuant to SEPA.

- [X] Determination of Non-Significance. This proposal has been determined to not have a significant adverse impact upon the environment. An EIS is not required under RCW 43.21C.030 2c.
- [] Determination of Significance. This proposal has or may have a significant adverse impact upon the environment. An EIS is required under RCW 43.21C.030 2c.

## **CONDITIONS - SEPA**

None.

Signature:

Tom Slade, Land Use Planning and Development Analyst for

Department of Construction and Land Use

Land Use Division

Date:\_\_\_\_

TWS:dm

tws9704333